


PART NO. CA-U710001-02.0

ORDERING NOMENCLATURE :


CA-U710001 - 02.0

DIM 'A' ²
 02.0 = 2 METERS
 CONSULT FACTORY FOR OTHER LENGTHS.

REVISIONS				
LTR	DESCRIPTION	DATE	APPROVED	
A	INITIAL RELEASE SEE DO 5472	CP 5-11-04	A.J.	
B	SEE DO 5588	CP 9-08-04	A.J.	
C	SEE DO 5768	CP 6-14-05	L.F.	
D	SEE DO 5848	CP 8-29-05	L.F.	
E	SEE DO 6393	CP 4-19-07	I.M.	
F	SEE DO 6414	CP 5-10-07	I.M.	
G	SEE DO 6462	CP 7-02-07	A.J.	



WIRING DIAGRAM :



- DERIVATIVE MODELS OF THIS PRODUCT INCLUDE, BUT ARE NOT LIMITED TO : CA-U710002 (THUMBSCREW FEATURE).
- MEETS SIMPLAY HD™ TEST SPECIFICATION CERTIFICATE NO. SV0639 ISSUED BY SIMPLAY LABS ON 3/27/2007.
- MEETS HDMI™ ATC TESTING REQUIREMENT CERTIFICATE NO. 682, ISSUED BY HDMI ON 2/21/2007
- MEETS THE REQUIREMENTS OF DIRECTIVE 2002/95/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 27 JANUARY 2003 ON THE RESTRICTION OF THE USE OF CERTAIN HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT. (ROHS)

² TOLERANCE TABLE :

DIM 'A'	TOLERANCE (IN METERS)
.15M-2M	±.03M
2.1M-5M	±.05M
5.1M-10M	±.08M

¹ FOR OPTIONAL OVERMOLD COLORS, CABLES, AND SHELL PLATING, CONSULT CA FACTORY.

NOTES : UNLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN MM TOLERANCES ARE:

DECIMALS	ANGLES
.XX ±.13	±3°

DIMENSIONS IN BRACKETS [X.XX] ARE IN INCHES TOLERANCES ARE:

DECIMALS	ANGLES
.XX ±.010	±3°
.XXX ±.005	

DO NOT SCALE DRAWING

APPROVALS DATE
DRAWN CUONG P 5-06-04

CHECKED A. JOCHEN 5-06-04

THE INFORMATION AND DESIGN DISCLOSED HEREIN WAS ORIGINATED BY AND IS THE PROPERTY OF CIRCUIT ASSEMBLY CORPORATION. CIRCUIT ASSEMBLY CORPORATION RESERVES ALL PATENT, PROPRIETARY, DESIGN, MANUFACTURING, REPRODUCTION, USE AND SALES RIGHTS HERETO, AND TO ANY ARTICLES DISCLOSED HEREIN EXCEPT TO THE EXTENT RIGHTS ARE EXPRESSLY GRANTED TO OTHERS. THE FOREGOING DOES NOT APPLY TO VENDOR PROPRIETARY RIGHTS.

CA CIRCUIT ASSEMBLY CORP.
18 THOMAS ST., IRVINE, CALIFORNIA 92618-2777

CABLE ASSEMBLY
CA-D19HMP-02.0
"ROHS COMPLIANT"

SIZE	CODE IDENT NO.	DRAWING NO.	REV.
C	52072	U710001	G

SCALE: 2 : 1 SHEET 1 OF 1